



New Products: Thor Premium Power Boards

THOR TECHNOLOGIES Power Filtration

smart filter



2 OUTLET BOARD



WHITE GOODS



HOME THEATRE



COMPUTER



MULTIPLE HOME USE



- SPACE SAVING FLAT HEAD PLUG
- 6 YEAR FREE REPLACEMENT WARRANTY
- 2 OUTLETS WITH 1 METRE EXTENSION CORD
- FREE CONNECTED EQUIPMENT WARRANTY UP TO \$75,000

\$75,000
Connected Equipment Warranty

ENTRY LEVEL UNIVERSAL PROTECTION

Thor Smart Filter Series is specifically designed to provide the highest level of power protection of any entry level protector available today.

16 separate AC Components create a powerful barrier against transient spikes and interferences – major causes of hardware and data failure.

When it comes to minimising your equipment risk, we make no wild or glossy promises. Our products do what we say they do.

The team at THOR Technologies have individually engineered each product to be the best in its class. Best price. Best performance. Best value.

FOR TYPICAL USERS AND APPLICATION

Ideal for home office equipment, computers, home theatre components, sewing machines, fridges, washing machines and for users wanting superior AC mains surge and filtered protection against incoming disturbances whether inner city, suburban, industrial, rural or domestic situations.



Designed and Engineered in Australia



New Products: Thor Premium Power Boards



FEATURES

2 OUTLETS WITH 1 METRE EXTENSION CORD

SPACE SAVING FLAT HEAD PLUG

EARTH DETECTION AND POWER LED

MULTIPLE APPLICATION IDENTITY TAGS

6-YEAR FREE REPLACEMENT WARRANTY

100% AUSTRALIAN OWNED AND COMPLIANT

SPECIFICATIONS

- Supply Voltage 240 V_{AC} 50 Hz
- Maximum Current Rating 10amps/2400 W (VA)
- Clamping Voltage 275v
- Reaction Time less than 1 Nano Sec
- Maximum Transient Spike Impulse Current (AMPS) 42,000 amps. Equivalent to 14,000 Amps using UL1449 standard
- Maximum Energy Dissipation (Joules) 1880 Joules. Equivalent to 360 Joules using UL1449 standard
- Protection Modes: Active/Neutral, Active/Earth, Neutral/Earth
- EMI/RFI Noise Reduction Filter
- Total Number of Protected AC Outlets: 2
- Earth Potential Rise Protection
- Earth leakage Range: less than 1 milli amp
- Earth detecton circuit: Yes
- Operating conditions Indoor/AC Mains
- Operating Temperatures -10C/+60C